

United States Patent and Trademark Office

mN

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/809,315	03/24/2004	David M. Durham	42P19299	6493
8791 BLAKELY SO	7590 07/13/200 OKOLOFF TAYLOR &	EXAMINER		
1279 OAKMEAD PARKWAY			SCHMIDT, KARI L	
SUNNYVALE, CA 94085-4040			ART UNIT	PAPER NUMBER
			MAIL DATE	DELIVERY MODE
			07/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/809,315	DURHAM ET AL.				
Office Action Summary	Examiner	Art Unit				
-	Kari L. Schmidt	2139				
The MAILING DATE of this communication app						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEI	l. lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 24 M	<u>arch 2004</u> .					
,	,					
) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ☐ Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 24 March 2004 is/are: a Applicant may not request that any objection to the c Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	a)⊠ accepted or b)□ objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 8/25/2005. 	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

DETAILED ACTION

Claim Objections

Claim 31 is objected to because of the following informalities: Claim 31 should be referring back to claim 30 not claim itself (31). The Examiner will examine these claims as if they are dependent on claim 30. Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

Claims 6, 19, 22, and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 6 recites the limitation "the electrical signal is an address" which doesn't further limit Claim 4. There is insufficient antecedent basis for this limitation in the claim.

Claim 22 recites the limitation "the image" and "the flash" which doesn't appear anywhere in the Claim 22 section. There is insufficient antecedent basis for this limitation in the claim.

Claim 25 recites the limitation "the first and second embedded devices" and "the awareness of the host platform" which appears in the Claims 2-24 section. There is insufficient antecedent basis for this limitation in the claims.

Claim 19 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 19 has a method step (device does not authenticate the apparatus) in an apparatus claim.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 29-38 are rejected under 35 U.S.C. 101 because Claims 29-38 are directed to "computer program products" stored in a "computer readable medium". Generally, functional descriptive material, such as a computer program, is statutory when it is stored on a tangible computer readable medium. See MPEP § 2106 IV.B.I (a).

However, in the present application, the specification defines "computer readable medium" to include, for example, paper or various transmission media [0037]. A computer program listing on a sheet of paper is not considered to provide functionality, and is therefore considered to be merely a computer program per se, which is non-statutory subject matter. Further, "transmission media" such as "communications links" as broadly defined may include non-tangible media such as signals, which are also considered non-statutory. When a claim encompasses both statutory and non-statutory subject matter, the claim as a whole is directed to non-statutory subject matter.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-38 are rejected under 35 U.S.C. 102(b) as being anticipated by Baldwin et al. (US 2004/0039924 A1).

Claim 1

Baldwin discloses a method comprising: provisioning a symmetric cryptographic key across multiple clients through multiple embedded agents (see at least, [0208]: " the clients (multiple clients) identify themselves using..."), each client having one of the embedded agents, one embedded agent in each client having an embedded agent to store the symmetric cryptographic key in a storage accessible to the embedded agent and not directly accessible to a host processor on the client (see at least, Figure 1, [0067]: " the cryptographic engine performs cryptographic operations in a restricted mode that is only accessible during normal operation by transferring control from a normal mode of the processor to a restricted mode of the processor via CryptoGate... symmetric key(s) and of performing symmetric cryptographic and public key cryptography and of pseudo random number generation, an optionally of private key cryptography..."); and providing access to an encrypted traffic flow in a network to a client if the client is authenticated with the key (see at least Figure 4, [0695-0700]:

"multi-factor client authentication application for accessing a virtual private network... software component running on a Device Authority server connected to the internet and with access to a database of KID/DMK pairs...")

Claim 2

Baldwin discloses a method according to claim 1, wherein provisioning the key through the embedded agents further comprises provisioning the key through an embedded agent having network access via a network link not visible to a host operating system (OS) running on the client (see at least, Figure, Figure 4, [0694-0700]: "VPN"; [0067]: " the cryptographic engine performs cryptographic operations in a restricted mode that is only accessible during normal operation by transferring control from a normal mode of the processor to a restricted mode of the processor via CryptoGate... symmetric key(s) and of performing symmetric cryptographic and public key cryptography and of pseudo random number generation, an optionally of private key cryptography...")).

Claim 3

Baldwin discloses a method according to claim 2, wherein providing access to the traffic flow if the client is authenticated comprises the embedded agent authenticating the client over the network line not visible to the host OS (see at least, Figure 1, Figure 4, [0694-0700]:"VPN: client over the network not visible to the host OS"; [0039]: "... if the unsealed AppContainer has acceptable values then the specific application on a specific device is considered to be authenticated... [0199]:"PubKContainer is a digital

Application/Control Number: 10/809,315

Art Unit: 2139

envelope that is sealed by the client with an RSA public key...")).

Claim 4

Baldwin discloses a method according to claim 1, wherein providing access to the traffic flow further comprises providing multiple clients access with the key to nodes in the network, the nodes in the network to decrypt the traffic flow and subsequently encrypt the traffic flow to transmit the traffic to a next node in the network (see at least, Figure 4, [0704-0716]: "The VPN typically includes a number of machines that cooperate between them to grant access and block untrusted traffic..." "Process name Description MFCA Subscription Process that generates licensing information for a SAM... The ultimate purpose of this registration is to provide SAM with the appropriate App Key to seal and unseal App Containers that will be exchange with the client device... the VPN client, SAM server, and the ARM server have to be configured to be able to hand out the appropriate App Keys successfully..").

Claim 5

Baldwin discloses a method according to claim 1, further comprising updating at a client the symmetric cryptographic key provisioned across the multiple clients through a public and private key exchange with a public and private key associated the client (see at least, [0075]: "perform these functions, the authentication server seals and unseals containers that are exchanged with a cryptographically-enable- d client device, using the assistance of one or more Device Authority servers as needed. The authentication

server maintains a table of Key ID (KID) values... "[0176]: " an acknowledgment servlet waits for a client response and then updates the database table for permanent DMK..., [0747]: " PubK Containter using the private bit of the communication key and updates its internal tables with the new device ADID.. if everything is all right, the application registration module has the Key ID of the client device, so it finds the DMK, and computes the App Key for the given ACD...").

Claim 6

Baldwin discloses a method according to claim 1, wherein providing access if the client is authenticated further comprises: the embedded agent verifying that a platform associated with the client is not compromised; and the embedded agent providing the key and an assertion that the client is not compromised to a verification entity on the network (see at least, [0015] The present invention provides a small security kernel, that facilitates the process of analyzing and establishing trust in the implementation of the kernel, while at the same time removing the limitations of the aforementioned addon hardware solutions. Ideally, the security kernel operates in a separate domain from both the application programs (applications) and the operating system (OS) running on the host machine, and yet with access to the memory of the OS and applications. The present invention provides such a security architecture by creating a small inner security kernel within the boundaries of a traditional existing operating system, and that can verify the integrity of and perform secure operations on behalf of the OS and applications. [0016] Another important aspect of this invention is that it enables the

security kernel to be tied into an infrastructure that can establish trust via between two devices (e.g., client device and DSS), in some embodiments via a shared symmetric key. [0017] Key aspects of the present invention comprise [0018] (1) Open-at-reset lockable (OAR-locked) non-volatile memory (NVM) that contains a secret master key, called the Device Master Key or DMK, which is unique to the device. The DMK is moved into SMRAM, a specially controlled region of memory that is only accessible in a System Management Mode (SMM) at startup, and whereafter OAR-locked nonvolatile memory is disabled, [0019] (2) containers to bind the DMK to specific applications, and that solves privacy/user controllability problems, and [0020] (3) spot checking of the integrity of a calling application "on-the-fly". [0021] The invention also provides Application Keys that are bound to the device and to Applications, and, optionally, to Customer-Secrets provided by the Applications. A given application can have several different keys corresponding to different values of the Customer-Secret. [0230] The CustomerSecret part allows a company to discard compromised application Containers without having to get a new build for the application that would produce a different Application Code Digest. Also, this CustomerSecret allows a given instance of an application (e.g. secure logon application) on a device to securely share data with more that one server. Each server would setup a unique CustomerSecret with that same application on the same device. Thus, the sealed AppContainers could only be decrypted if the correct CustomerSecret is provided.")

Claim 7

Baldwin discloses a method according to claim 6, further comprising the embedded agent indicating to a remote network device if the client is compromised (see at least, Figure 4, [0652] Presented below is a description of the application registration module (ARM) component in the MFCA VPN product. The application registration module assists a Strong Authentication Module (SAM) in providing access to the secure App Containers that are exchanged between the client devices and cryptographically-enabled servers.").

Claim 8

Baldwin discloses a method according to claim 6, further comprising the embedded agent foreclosing network access to the client if the client is compromised (see at least, Figure 1, Figure 4, [0029]: "Another exemplary system for hiding a master cryptographic key in storage comprises power-on software that reads a master key from non-volatile storage, closes access to the non-volatile storage such that access does not become available again until the next system reset, and writes sensitive data derived from the master key to a hidden address space, and wherein only a program that runs in a restricted operational mode of the system has access to the sensitive data in the hidden address space." [0090] The protected non-volatile memory 11 is used to store the secret device master key. The BIOS system

initialization module 12 is responsible for securely transferring the secret DMK from non-volatile memory 11 into SMRAM 13, a protected memory region that is only addressable from SMM 16. After the DMK is transferred into SMRAM 13, the system initialization module 12 closes the OAR-lock latch 14 to render the non-volatile memory 11 inaccessible to programs 15 running in the system until the next system reset. The DMK is only available in hidden SMRAM 16 during normal operation of the system. ").

Claim 9

Baldwin discloses a method according to claim 1, further comprising the embedded agent performing cryptographic functions on data with the key to authenticate data with the key (see at least, [0067] The cryptographic engine (CryptoEngine) performs cryptographic operations in a restricted mode that is only accessible during normal operation by transferring control from a normal mode of the processor to a restricted mode of the processor via CryptoGate. The restricted mode operations may also include operations where sensitive data is available to the processor during secure bootstrap and Power-On Self-Test operations. The CryptoEngine is capable of storing and recalling high integrity public keys, and of storing at least one long-lived symmetric key (the DMK), and of deriving symmetric keys from the long-lived symmetric key(s), and of performing symmetric cryptography (both integrity and privacy primitives) and public key cryptography, and of pseudo random number generation, and optionally of private key cryptography, and optionally of other cryptographic support functions such a key generation and importing and exporting keys. Some embodiments of the

CryptoEngine may use specialized cryptographic hardware, such as smartcards, or a TCPA TPM." Abstract: System and method for securing a computing device using a master cryptographic key that is bound to the device. The master key is used to derive sensitive data that is transferred to storage that is only accessible in a restricted mode of operation. The master key is used to derive one or more application keys that are used to secure data that is specific to an application/device pair. Non-privileged programs can request functions that run in a more restricted mode to use these application keys. The restricted mode program checks the integrity of the nonprivileged calling program to insure that it has the authority and/or integrity to perform each requested operation. One or more device authority servers may be used to issue and manage both master and application keys.).

Claim 10

Baldwin discloses a method according to claim 1, further comprising the embedded agent including a derivative of the key in a header of data to be transmitted to authenticate the data with the key (see at least, [0198], [0247], [0279]: "AppContainer is a protected container that can only be read or written by a specific application program running on a specification machine... bound to a given machine by using a derivative of the DMK for encryption..." Abstract: The master key is used to derive sensitive data that is transferred to storage that is only accessible in a restricted mode of operation. The master key is used to derive one or more application keys that are used to secure data that is specific to an application/device pair. Non-privileged programs can request

functions that run in a more restricted mode to use these application keys. The restricted mode program checks the integrity of the non-privileged calling program to insure that it has the authority and/or integrity to perform each requested operation. One or more device authority servers may be used to issue and manage both master and application keys.").

Claims 11-38

The system, the apparatus, the article of manufacture and method claims are one of the same therefore rejected for the same reason as the method claims above.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Markham et al. (US 7,231,664 B2) teaches system and method for transmitting and receiving secure data in a virtual private group.

McMillan et al. (US 2004/0039925 A1) teaches key management.

Hanzlik et al. (US 2004/0044891 A1) teaches system and method for secure group communications.

Fruehauf et al. (US 6,590,981 B2) teaches system and method for secure cryptographic communications.

Srivastava et al. (US 7,013,389 B1) teaches method and apparatus for creating a secure communication channel among multiple event secure nodes.

Asunmaa et al. (US 2003/0172090 A1) teaches virtual identity apparatus and method for using same.

Srivastava et al. (US 7,103,185 B1) teaches method and apparatus for distributing and updating private keys of multicast group managers using directory replication.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kari L. Schmidt whose telephone number is 571-270-1385. The examiner can normally be reached on Monday - Friday: 7:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.